


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

A280.3479
7M34P

2 POUFLTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
May 1962



Canned and Processed Poultry

Poultry inspected and used for canning and other processed food in May 1962 totaled 39,443,000 pounds ready-to-cook weight, compared with 38,560,000 pounds in May 1961. The quantity used in May 1962 consisted of 8,567,000 pounds of young chickens, 16,619,000 pounds of mature chickens, 10,788,000 pounds of turkeys, and 3,469,000 pounds of other poultry.

Inspected Poultry

The number of head (chickens, turkeys and ducks combined) inspected under the Poultry Inspection Act carried on by the U.S.D.A. during May 1962 amounted to 187,624,000, compared with 183,862,000 in May 1961. The number of head and pounds (live weight) inspected by classes were: young chickens, 175,403,000 head, 592,034,000 pounds; mature chickens, 8,230,000 head, 41,664,000 pounds; fryer-roaster turkeys, 881,000 head, 7,601,000 pounds; young turkeys, 1,223,000 head, 20,136,000 pounds; old turkeys, 674,000 head, 13,336,000 pounds; and ducks 1,213,000 head, 7,899,000 pounds.

Certified Poultry

The quantity of poultry certified as wholesome in May 1962 totaled 494,637,000 pounds ready-to-cook weight of which 397,034,000 pounds were iced and 97,603,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 427,834,000 pounds; mature chickens, 28,574,000 pounds; fryer-roaster turkeys, 5,932,000 pounds; young turkeys, 16,033,000 pounds; old turkeys, 10,555,000 pounds; ducks, 5,600,000 pounds; and other poultry, 109,000 pounds.

Ante-mortem condemnations amounted to 1,489,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.21 percent; mature chickens, 0.37 percent; fryer-roaster turkeys, 0.38 percent; young turkeys, 0.12 percent; old turkeys, 0.11 percent; and ducks, 0.01 percent.

Post-mortem condemnations in May 1962 amounted to 12,926,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.12 percent; mature chickens, 2.34 percent; fryer-roaster turkeys, 1.00 percent; young turkeys, 1.81 percent; old turkeys, 2.21 percent; and ducks 1.29 percent. In May 1961, the condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 1.89 percent; mature chickens, 2.32 percent; fryer-roaster turkeys, 1.09 percent; young turkeys, 1.37 percent; old turkeys, 2.22 percent; and ducks, 1.86 percent.

Poultry: Slaughtered under Federal Inspection, May 1962 with comparisons

Class	Number inspected		Pounds inspected (live weight)						Average live weight					
	May		April		May		April		May		April		May	
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962
	Thou.	Thou.	Thou.	Thou.	1,000	1,000	1,000	1,000	1,000	1,000	Lbs.	Lbs.	Lbs.	Lbs.
Young chickens	144,776	170,894	175,403	674,859	692,907	501,208	581,055	592,034	2,307,848	2,371,127	3.46	3.40	3.38	3.42
Mature chickens	6,935	7,860	8,230	36,578	39,357	36,687	41,522	41,664	181,141	195,034	5.29	5.28	5.06	4.96
Total chickens	151,711	178,754	183,633	711,437	732,264	537,895	622,577	633,698	2,489,289	2,566,161	3.55	3.48	3.45	3.50
Fryer-roasters	1,048	1,409	881	6,188	4,546	9,173	12,305	7,601	54,197	39,633	8.75	8.73	8.63	8.72
Young turkeys	733	1,915	1,223	5,490	4,146	11,223	30,154	20,136	99,034	81,172	16.13	15.75	16.46	19.58
Old turkeys	162	657	674	1,283	1,039	3,308	13,073	13,336	25,301	20,696	20.42	19.90	19.79	19.92
Total turkeys	1,943	3,981	2,778	12,961	9,731	24,304	55,532	41,073	176,532	141,501	12.51	13.95	14.79	14.54
Ducks	900	1,127	1,213	2,771	2,801	5,904	7,185	7,899	17,618	18,052	6.56	6.38	6.51	6.44
Other poultry	---	---	---	---	---	123	135	205	519	703	---	---	---	---
Total poultry	---	---	---	---	---	568,226	685,429	682,875	2,685,958	2,726,417	---	---	---	---

Pounds certified (ready-to-cook weights)

Class	April 1962		May 1961		May 1962		January-May 1961						January-May 1962					
	April 1962		May 1961		May 1962		April		May		April		May		April		May	
	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961
	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens	319,057	43,258	362,315	382,086	39,244	421,330	373,947	53,887	427,834	1,514,833	149,630	1,664,463	1,519,659	189,714	1,709,373	1,519,659	189,714	1,709,373
Mature chickens	17,065	8,434	25,499	20,035	8,936	28,971	17,538	11,036	28,574	88,191	38,837	127,028	92,376	43,147	135,523	92,376	43,147	135,523
Total chickens	336,122	51,692	387,814	402,121	48,180	450,301	391,485	64,923	456,408	1,603,024	188,467	1,791,491	1,612,035	232,861	1,844,896	1,612,035	232,861	1,844,896
Fryer-roasters	2,193	5,011	7,204	2,024	7,403	9,427	1,788	4,144	5,932	7,901	34,365	42,266	7,422	23,599	31,021	7,422	23,599	31,021
Young turkeys	2,460	6,898	9,358	4,056	20,269	24,325	2,733	13,300	16,033	12,067	67,439	79,506	10,834	53,788	64,622	10,834	53,788	64,622
Old turkeys	196	2,424	2,620	772	10,321	11,093	900	9,655	10,555	1,577	19,289	20,866	1,352	15,024	16,376	1,352	15,024	16,376
Total turkeys	4,849	14,333	19,182	6,852	37,993	44,845	5,421	27,099	32,520	21,545	121,093	142,638	19,608	92,411	112,019	19,608	92,411	112,019
Ducks	165	4,044	4,209	142	4,845	4,987	127	5,473	5,600	823	11,535	12,358	705	12,112	12,817	705	12,112	12,817
Other poultry	1	63	64	1	70	71	1	108	109	10	272	282	7	370	377	7	370	377
Total poultry	341,137	70,132	411,269	409,116	91,088	500,204	397,034	97,603	494,637	1,625,402	321,367	1,946,769	1,632,355	337,754	1,970,109	1,632,355	337,754	1,970,109

Poultry: Condemnations of poultry slaughtered under Federal Inspection, May 1962 with comparisons

Class	Ante-mortem condemnations						Post-mortem condemnations					
	Pounds (live weight):			Pounds (live weight):			Pounds (live weight):			Pounds (live weight):		
	May	1961	1962	May	1961	1962	May	1961	1962	May	1961	1962
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Mature chickens	1,105	1,268	1,268	1,268	1,268	1,268	1,268	1,268	1,268	1,268	1,268	1,268
Total chickens	1,217	1,421	1,421	1,421	1,421	1,421	1,421	1,421	1,421	1,421	1,421	1,421
Fryer-roasters	17	29	29	29	29	29	29	29	29	29	29	29
Young turkeys	24	23	23	23	23	23	23	23	23	23	23	23
Old turkeys	18	15	15	15	15	15	15	15	15	15	15	15
Total turkeys	59	67	67	67	67	67	67	67	67	67	67	67
Ducks	5	1	1	1	1	1	1	1	1	1	1	1
Other poultry ^{3/}	---	---	---	---	---	---	---	---	---	---	---	---
Total	1,281	1,489	1,489	1,489	1,489	1,489	1,489	1,489	1,489	1,489	1,489	1,489

Poultry: Inspected for canning and other processed foods, May 1962 with comparisons ^{4/}

Class	Pounds used ready-to-cook weight						Pounds condemned ready-to-cook weight					
	Pounds used ready-to-cook weight			Pounds used ready-to-cook weight			Pounds used ready-to-cook weight			Pounds used ready-to-cook weight		
	April 1962	1961	1962	April 1962	1961	1962	April 1962	1961	1962	April 1962	1961	1962
Young chickens	6,452	7,740	8,567	34,258	33,637	33,637	5	3	7	39	39	27
Mature chickens	18,690	20,428	16,619	97,505	89,734	89,734	20	19	23	76	76	73
Turkeys	9,928	5,326	10,788	36,570	48,493	48,493	5	1	4	20	20	23
Other poultry ^{5/}	3,392	5,066	3,469	15,970	17,671	17,671	1	5	5	15	15	11
Total	38,462	38,560	39,443	184,303	189,535	189,535	31	28	39	150	150	134

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

4/ All poultry inspected for canning and other processing. Excludes raw product cut up and packaged. (Data issued currently during 1961 included raw product cut up and packaged in plants other than those in which the birds were slaughtered and eviscerated.)

5/ Poultry parts and fat used in canning that cannot be identified by class are included in "other poultry."

Young Chickens: Slaughtered under Federal Inspection, by regions and selected States, May 1961 and 1962

Region and State	Number inspected	Pounds		Average live weight		Total pounds certified		Post-mortem condemnations	
		(live weight)		inspected 1/		(Ready-to-cook wt.) ²		Pounds (NYD)	
		1961	1962	1961	1962	1961	1962	1961	1962
N. Atl.	Thou. 14,778	1,000	1,000	Pounds 3.78	Pounds 3.84	1,000	1,000	1,000	1,000
E. N. Cent.	14,778	56,234	56,784	3.59	3.54	40,138	40,648	907	1,069
W. N. Cent.	4,370	19,123	15,480	3.29	3.23	13,853	11,152	249	211
S. Atl.	4,941	20,085	15,969	3.43	3.39	14,127	11,385	373	349
S. Cent.	73,983	250,749	250,915	3.27	3.25	183,678	182,793	3,891	4,750
West	72,846	217,317	236,895	3.44	3.57	156,875	170,451	4,053	4,555
	4,485	17,547	15,991	3.40	3.38	12,659	11,405	374	364
U. S.	170,894	581,055	592,034	3.93	3.87	421,330	427,834	9,847	11,298
Maine	5,278	20,720	22,485	4.06	4.16	14,855	16,505	331	545
Mass.	439	1,779	2,477	3.39	3.56	1,218	1,748	29	55
Conn.	1,336	4,528	3,625	5.45	4.82	2,992	2,493	78	76
N. J. 3/	24	132	135	3.72	3.84	53	27	1	---
Pa.	6,571	24,248	25,218	3.71	3.55	17,709	18,008	403	350
Ohio	1,726	6,412	3,951	3.38	3.31	4,667	2,895	75	45
Ind.	1,891	6,398	5,469	4.17	4.17	4,651	3,920	90	97
Ill.-Mich. 4/	245	1,014	1,043	3.61	3.70	721	721	15	11
Wis.	1,356	5,299	5,017	3.46	---	3,814	3,616	69	58
Minn. 5/	824	2,848	---	4.72	---	2,150	---	44	---
Iowa 5/	103	484	---	3.19	---	357	---	1	---
Mo.	4,929	15,741	12,527	3.71	3.78	10,881	8,811	317	309
Del.	7,003	25,958	29,087	3.65	3.72	19,255	21,526	360	512
Md.	9,607	35,087	34,996	3.11	3.03	25,389	25,249	499	436
Va.	5,195	16,176	15,667	3.46	3.43	11,601	11,205	323	206
N. C.	18,286	63,310	62,809	3.45	3.30	46,518	45,729	685	1,043
S. C.	1,822	4,850	6,005	3.45	3.30	3,520	4,325	67	144
Ga.	30,647	100,391	99,319	3.34	3.24	73,735	72,580	1,911	2,365
Ky.	2,424	9,533	8,104	3.40	3.34	6,761	5,736	122	110
Tenn.	5,632	18,415	18,825	3.41	3.34	13,464	13,773	326	323
Ala.	16,500	54,850	58,662	3.32	3.30	40,151	42,733	1,188	1,232
Miss.	11,003	36,241	39,794	3.29	3.25	26,679	29,207	626	764
Ark.	19,926	63,166	67,341	3.17	3.15	44,593	47,578	1,275	1,474
La.-Okla. 4/	3,104	8,479	10,271	3.27	3.31	6,103	7,383	151	192
Texas	8,175	26,633	33,898	3.26	3.30	19,124	24,041	365	460
Idaho	517	1,492	1,571	2.89	3.47	1,097	1,154	21	12
Utah 5/	93	343	---	3.70	---	254	---	3	---
Wash.	725	2,373	3,105	3.27	3.74	1,617	2,183	41	33
Oreg. 5/	554	1,897	---	3.42	---	1,301	---	56	---
Calif.	3,206	11,442	11,151	3.57	3.54	8,390	7,944	253	317

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected.

Percentages based on unrounded data. 3/ Dashes mean less than 500 pounds. 4/ Combined to avoid disclosure of individual operations.

5/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, May 1962

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors sites	Para- brises	Cadaver infection	Contam- over	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	40,859	98,877	66,742	33,777	983	84	2,536	10,069	478	12	1,195	261,641
E. N. Cent.	3,818	21,453	32,467	4,213	347	7	980	4,624	523	1	1,042	72,029
W. N. Cent.	2,868	29,880	54,289	21,799	282	3	1,012	7,448	208	76	116	122,184
S. Atl.	107,086	155,425	647,989	48,547	2,528	29	7,953	41,312	5,301	5,889	427,724	1,507,383
S. Cent.	52,749	225,511	704,518	42,538	4,470	45	11,504	56,486	7,469	1,322	204,900	1,377,065
West.	3,313	34,573	47,483	9,475	774	4	851	1,633	657	32	19,350	122,828
U. S.	210,693	565,719	1,553,488	160,349	9,384	172	24,836	114,287	147,907	7,332	654,327	3,463,130
Maine	15,173	47,630	28,073	21,303	352	18	1,307	2,043	229	6	1,084	122,557
Mass.	1,272	5,489	1,539	1,906	177	3	146	415	35	2	67	11,486
Conn.	6,625	6,812	4,004	1,925	55	---	144	186	21	---	3	20,970
N. J.	20	12	2	11	6	---	1	---	---	---	---	52
Pa.	15,707	36,985	25,505	6,934	338	3	672	2,868	134	4	39	91,872
Ohio	1,005	4,664	7,479	1,451	132	4	207	625	133	---	301	16,633
Ind.	2,276	10,103	18,000	1,413	59	3	311	720	978	1	348	34,523
Ill.-Mich. 1/	235	897	266	52	12	---	95	1,102	124	20	30	2,833
Wis.	302	5,789	6,722	1,297	144	---	367	2,177	820	---	363	18,040
Mo.	2,512	27,832	50,927	20,826	218	3	878	3,226	6,068	76	83	112,846
Del.	33,518	50,456	50,223	18,151	485	1	523	2,551	3,640	4	459	160,231
Md.	24,824	38,635	33,525	12,550	675	---	740	4,653	3,003	1	14,035	133,333
Va.	9,425	31,265	22,373	9,303	104	---	323	1,010	1,553	15	98	75,614
N. C.	8,911	12,847	125,068	4,287	515	7	3,072	12,228	15,915	94	147,298	331,315
S. C.	336	705	21,138	141	12	2	316	4,217	2,306	18	13,552	42,830
Ga.	28,951	19,387	385,698	3,638	711	19	2,916	16,257	30,624	5,757	248,856	745,894
Ky.	1,293	10,235	21,403	1,753	122	1	609	1,585	1,255	---	74	39,094
Tenn.	4,210	17,834	37,509	3,046	130	1	779	8,166	7,525	205	28,244	107,917
Ala.	6,435	10,185	259,845	298	391	---	1,254	11,328	14,016	104	98,916	403,964
Miss.	10,059	11,324	125,952	455	553	---	2,163	6,484	12,798	230	43,021	215,000
Ark.	16,438	118,843	199,620	19,671	1,307	3	3,554	17,344	12,804	107	32,390	423,565
Ia.-Okla. 1/	3,111	17,629	20,141	4,669	514	37	1,014	2,121	4,145	---	87	53,902
Texas	11,203	39,461	40,048	12,646	1,453	3	2,131	9,458	13,010	676	2,168	133,623
Idaho	50	1,151	1,312	116	30	---	146	219	218	1	396	3,731
Wash.	293	4,177	1,036	408	11	1	95	97	242	20	3,208	9,657
Calif.	2,946	29,177	45,093	8,905	704	3	595	1,287	4,216	11	15,746	109,173

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, May 1961 and 1962

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations		
	:		:		:		:		:		
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	
			1,000	1,000	Pounds	Pounds	1,000	1,000	pounds	pounds	
	Thou.	Thou.	pounds	pounds						Percent	
N. Atl.	1,341	1,340	7,422	7,111	5.53	5.31	5,090	4,961	94	1.83	
E. N. Cent.	1,146	1,278	5,137	5,642	4.48	4.41	3,632	3,884	118	2.38	
W. N. Cent.	1,576	1,690	7,234	8,018	4.59	4.74	4,905	5,458	192	2.98	
S. Atl.	1,769	1,675	10,670	9,692	6.03	5.79	7,648	6,677	183	1.79	
S. Cent.	1,045	863	6,511	5,124	6.23	5.94	4,598	3,535	138	2.67	
West.	983	1,384	4,548	6,077	4.63	4.39	3,098	4,059	150	2.72	
U.S.	7,860	8,230	41,522	41,664	5.28	5.06	28,971	28,574	875	2.32	
Maine	255	186	1,739	1,283	6.81	6.91	1,264	941	33	2.14	
Conn. 3/	93	---	611	---	6.56	---	419	---	8	1.43	
N.Y.	125	121	587	558	4.68	4.59	405	473	5	.98	
N.J.	373	467	1,490	1,843	3.99	3.95	918	1,146	34	2.57	
Pa.	232	235	1,296	1,373	5.58	5.83	909	956	19	1.66	
Ohio	382	431	1,719	1,916	4.50	4.44	1,220	1,331	36	2.35	
Ind.	439	458	2,061	2,034	4.70	4.45	1,296	1,410	35	1.93	
Ill.	220	260	907	1,115	4.13	4.29	910	749	33	4.01	
Mich.	11	24	44	103	3.97	4.29	33	65	1	1.90	
Wis.	94	105	406	474	4.32	4.51	173	329	5	1.47	
Minn.	709	718	3,073	3,082	4.34	4.29	2,032	2,063	94	3.42	
Iowa	95	90	411	420	4.32	4.66	295	295	8	2.21	
Mo.	438	583	2,229	3,128	5.09	5.37	1,573	2,178	39	1.95	
Nebr. 3/	298	---	1,317	---	4.42	---	866	---	48	4.02	
Kans. 3/	36	---	204	---	5.67	---	139	---	4	2.19	
Del.	45	40	336	319	7.49	7.89	246	232	3	1.00	
Ma. 3/	310	---	1,253	---	4.04	---	874	---	17	1.49	
Va.	164	270	969	1,430	5.91	5.30	692	996	19	2.40	
N.C.	564	463	3,336	2,824	5.91	6.10	2,396	1,963	48	1.60	
S.C.	50	36	341	246	6.86	6.87	250	175	7	2.39	
Ga.	610	501	4,302	3,379	7.05	6.74	3,096	2,272	75	1.93	
Ky. 3/	---	67	---	342	---	5.13	---	237	---	6	---
Tenn.	197	195	1,251	1,270	6.34	6.52	873	874	17	1.56	
Ala.	245	53	1,443	347	5.89	6.58	1,060	253	38	2.43	
Miss.	84	35	599	260	7.16	7.37	434	187	12	2.93	
Ark.	121	90	826	666	6.84	7.40	579	466	23	2.12	
La.-Okla. 4/	137	156	887	934	6.47	5.99	605	648	29	3.11	
Texas	245	267	1,410	1,305	5.77	4.89	984	870	35	3.95	
Idaho	6	12	33	80	5.40	6.89	23	58	1	3.21	
Utah 3/	40	---	170	---	4.23	---	122	---	2	1.35	
Wash.	59	127	268	577	4.58	4.55	163	375	6	2.09	
Oreg. 3/	94	---	629	---	6.72	---	459	---	13	1.42	
Calif.	784	1,178	3,448	5,171	4.40	4.39	2,331	3,456	11	2.64	
									91	1.97	
									134	2.95	

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected.
Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations.
4/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, May 1962

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver	Contam- ination	Over- scaled	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	30	2,117	8,308	36	4,308	3,230	39	304	542	971	136	14	53	20,088
E. N. Cent.	2,084	4,397	8,593	56	3,081	5,720	105	712	958	1,441	70	8	3,436	30,661
W. N. Cent.	5,984	3,751	14,046	216	7,775	4,773	171	1,151	1,380	1,883	333	38	3,530	45,031
S. Atl.	27	1,472	7,805	164	5,745	1,698	36	501	853	1,846	195	2	15,977	36,321
S. Cent.	54	4,081	8,408	371	4,378	1,484	28	288	479	2,982	270	22	3,787	26,632
West.	11	1,318	13,938	39	8,538	8,114	13	1,005	955	1,087	106	22	4,735	39,881
U. S.	8,190	17,136	61,098	882	33,825	25,019	392	3,961	5,167	10,210	1,110	106	31,518	198,614
Maine	---	260	973	10	1,049	126	2	35	64	225	39	3	53	2,839
N. Y.	---	321	658	12	419	383	---	60	111	97	45	3	---	2,109
N. J.	29	687	3,754	6	1,251	1,869	35	85	259	310	15	---	---	8,300
Pa.	1	250	1,488	3	592	331	---	71	35	188	9	4	---	2,972
Ohio	359	1,605	1,842	12	2,031	2,381	81	144	537	354	33	2	954	10,335
Ind.	425	1,538	4,473	32	2,955	2,216	14	235	338	529	22	1	2,100	12,218
Ill.	1,025	886	1,657	7	300	558	10	176	59	465	15	---	---	5,537
Mich.	---	25	124	1	8	50	---	4	10	7	---	---	---	229
Wis.	275	343	497	4	447	515	---	153	14	86	---	5	3	2,342
Minn.	3,100	1,214	5,916	56	3,092	3,320	90	841	876	837	277	32	2,559	22,240
Iowa	317	210	716	2	213	92	---	27	20	67	5	---	15	1,684
Mo.	303	1,323	3,695	128	2,256	991	65	148	406	703	50	5	823	10,896
Del.	---	93	248	14	145	45	1	3	12	14	6	---	---	581
Va.	---	369	2,528	54	3,064	918	---	58	53	149	---	---	---	7,193
N. C.	---	134	685	5	397	119	2	89	257	713	168	1	7,306	9,876
S. C.	---	8	18	10	9	8	---	2	39	72	1	---	623	790
Ga.	---	195	615	76	411	233	4	59	176	699	---	1	7,729	10,198
Ky.	9	150	513	1	193	482	---	10	8	117	---	---	---	1,483
Tenn.	---	124	983	259	132	70	1	63	127	668	29	14	2,457	4,927
Ala.	4	10	138	6	18	34	---	3	68	48	2	2	824	1,157
Miss.	---	26	244	3	122	14	---	7	67	67	3	---	356	860
Ark.	---	180	1,713	59	602	97	---	22	36	588	---	---	13	3,310
La.-Okla. 1/	40	548	2,327	10	1,437	404	18	72	87	658	4	6	2	5,613
Texas	1	3,043	2,490	33	1,874	383	9	111	135	836	232	---	135	9,282
Idaho	---	15	65	3	10	17	---	16	5	16	1	---	17	165
Wash.	---	124	1,661	---	398	389	---	28	19	250	3	3	773	3,648
Calif.	---	1,007	11,994	35	8,071	7,624	11	923	916	789	100	19	3,945	35,434

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, May 1961 and 1962

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/ inspected 2/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations		
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	pounds	Percent	
N. Atl.	91	17	966	266	10.62	15.65	721	200	6	0.69	
E. N. Cent.	145	32	2,064	398	14.23	12.44	1,616	315	19	1.02	
W. N. Cent.	275	124	4,155	1,938	15.11	15.63	3,427	1,560	45	1.20	
S. Atl.	322	270	4,947	3,808	15.36	14.10	3,918	2,990	38	1.37	
S. Cent.	226	61	3,730	1,085	16.50	17.91	2,995	859	22	2.05	
West.	856	719	14,292	12,641	16.70	17.58	11,648	10,109	242	2.06	
U.S.	1,915	1,223	30,154	20,136	15.75	16.46	24,325	16,033	372	1.37	
Pa.	86	14	880	217	10.24	15.16	659	168	6	.84	
Ohio 3/	28	8	336	89	12.13	10.81	261	70	2	.49	
Ind. 4/	53	---	761	---	14.25	---	590	---	4	.59	
Wis.	60	21	882	235	14.60	11.33	697	185	12	.54	
Minn.	204	81	3,023	1,081	14.84	13.28	2,523	881	32	1.10	
Iowa 4/	23	---	348	---	15.18	---	285	---	1	.33	
Mo. 3/	7	---	111	6	15.86	15.66	88	5	---	1.04	
Nebr. 4/	---	36	---	687	---	18.97	---	544	---	---	1.78
Kans. 4/	32	---	533	---	16.66	---	418	---	11	---	
Va.	109	109	1,442	1,092	13.24	10.03	1,096	817	20	2.29	
N.C.	169	141	3,010	2,497	17.79	17.71	2,436	2,002	17	1.59	
S.C. 4/	9	---	169	---	19.71	---	136	---	---	.66	
Texas	180	61	3,026	1,085	16.78	17.91	2,433	859	20	.52	
Utah	64	34	992	683	15.48	20.07	779	552	6	.73	
Wash. 4/	---	2	---	40	---	25.08	---	28	---	.67	
Calif.	751	599	12,801	10,524	17.05	17.58	10,469	8,408	234	5.35	
									211	2.03	

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, May 1962

Region and State	Tuber-	Leu-	Septi-	Airsac-	Inflam-	Tumors	Para-	Bruises	Cadaver-	Contam-	Over-:	Decom-	Total
	: culosis	: cosis	: cemia	: culitis	: matory	:	: sites	:	: ination	: scald:	: position:	: Other	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	4	38	8	4	---	---	---	---	1	---	---	55
E. N. Cent.	---	1	59	4	9	---	---	3	17	6	---	17	117
W. N. Cent.	---	19	552	369	127	5	2	31	37	70	2	9	1,295
S. Atl.	---	5	963	779	583	4	---	21	78	88	---	654	3,183
S. Cent.	---	3	1,085	110	23	---	---	7	8	4	---	13	1,253
West.	---	16	2,961	3,217	2,608	37	---	155	220	255	12	2,077	11,577
U. S.	---	48	5,658	4,487	3,354	46	3	217	360	423	100	14	17,480
Pa.	---	3	32	8	3	---	---	---	---	---	---	---	46
Ohio	---	---	6	---	---	---	1	1	13	1	---	6	28
Wis.	---	1	35	3	9	---	---	2	4	3	---	10	67
Minn.	---	---	284	262	30	2	2	20	30	63	71	9	773
Mo.	---	---	---	---	1	---	---	---	---	---	---	---	1
Nebr.	---	18	225	81	96	3	---	10	6	7	1	2	449
Va.	---	2	554	417	162	2	---	7	58	26	6	---	1,234
N. C.	---	2	377	343	369	2	---	4	15	58	2	---	1,826
Texas	---	3	1,085	110	23	---	---	7	8	4	---	13	1,253
Utah	---	3	142	42	16	---	---	5	10	5	---	---	223
Wash.	---	---	6	---	5	---	---	3	---	3	---	21	38
Calif.	---	3	2,497	3,140	2,354	30	---	132	158	237	18	---	10,623

Fryer-Roaster Turkeys: Slaughtered under Federal Inspection, by regions and selected States, May 1961 and 1962

Region and State	Number inspected	Pounds inspected		Average live weight inspected 1/	Total pounds certified		Post-mortem condemnations	
		1961	1962	1961	1961	1962	1961	1962
		Thou.	Thou.	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent
N. Atl. 3/	6	8		8.00	37	56		---
E. N. Cent.	377	265		9.45	2,784	1,855	31	17
W. N. Cent.	681	335		8.72	4,514	2,303	60	24
S. Atl.	193	156		7.91	1,139	992	18	13
S. Cent. 3/	73	14		7.71	435	80	3	---
West.	79	103		8.40	518	646	9	14
U.S.	1,409	881		8.73	9,427	5,932	121	68
Ohio	46	37		8.41	294	261	2	2
Wis.	329	228		9.63	2,480	1,594	29	15
Minn.	597	317		8.62	4,009	2,182	54	24
Iowa	22	---		6.92	119	---	1	---
Va.	180	150		7.89	1,055	954	18	13
Ark.	48	---		7.70	290	---	2	---
Calif.	55	82		8.17	346	512	9	13
								2.22

Fryer-Roaster Turkeys: Number condemned post-mortem by cause, by regions and selected States, May 1962

Region and State	Tuber- culosis		Leu- cosis		Septi- cemia		Airsac- culitis		Inflam- matory		Tumors		Para- sites		Bruises		Cadaver- ination		Contam- ination		Over- scald		Decom- position		Other		Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	
N. Atl.	---	---	19	---	3	---	---	---	---	---	---	---	---	---	2	---	2	---	---	---	---	---	---	---	---	---	28
E. N. Cent.	---	4	811	179	252	1	---	---	---	---	1	---	---	---	37	80	112	4	---	---	---	---	---	---	234	1,714	
W. N. Cent.	---	5	858	409	152	1	---	---	---	---	---	---	---	---	71	230	401	120	5	---	---	---	---	---	17	2,269	
S. Atl.	---	9	606	370	185	---	---	---	---	---	---	---	---	---	6	38	32	---	---	---	---	---	---	---	---	1,246	
S. Cent.	---	1	21	4	9	---	---	---	---	---	---	---	---	---	---	---	22	---	---	---	---	---	---	---	---	58	
West.	---	---	1,373	37	137	2	---	---	---	---	---	---	---	---	22	66	103	9	---	---	---	---	---	---	57	1,806	
U.S.	---	19	3,688	999	738	4	---	---	---	---	---	---	---	---	138	417	672	133	5	---	---	---	---	---	308	7,121	
Ohio	---	---	22	2	18	---	---	---	---	---	---	---	---	---	2	16	24	2	---	---	---	---	---	---	6	91	
Wis.	---	3	789	177	234	1	---	---	---	---	---	---	---	---	37	64	88	2	---	---	---	---	---	---	228	1,623	
Minn.	---	5	841	403	141	1	---	---	---	---	---	---	---	---	62	229	392	119	5	---	---	---	---	---	17	2,215	
Va.	---	9	595	370	184	---	---	---	---	---	---	---	---	---	6	38	32	---	---	---	---	---	---	---	---	1,234	
Calif.	---	---	1,325	19	93	2	---	---	---	---	---	---	---	---	15	66	103	5	---	---	---	---	---	---	57	1,685	

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Old Turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, May 1961 and 1962

Region and State	Thou.	Number inspected	Pounds		Average live weight inspected		Total pounds certified		Post-mortem condemnations	
			1961	1962	1961	1962	1961	1962	1961	1962
			Thou.	Thou.	Pounds	Pounds	pounds	pounds	pounds	Percent
N. Atl. 3/	---	---	4	---	79	19.75	5	1,000	1,000	---
E. N. Cent.	53	87	1,013	1,684	19.11	19.36	829	1,328	16	29
W. N. Cent.	269	334	5,168	6,643	19.21	19.89	4,113	5,265	121	143
S. Atl.	28	13	507	169	18.11	13.00	402	131	5	3
S. Cent.	66	140	1,225	2,754	18.56	19.67	978	2,201	16	48
West.	241	96	5,155	2,007	21.39	20.91	4,766	1,570	103	42
U.S.	657	674	13,073	13,336	19.90	19.79	11,093	10,555	261	265
Ohio	22	25	401	454	18.24	18.30	345	360	5	6
Wis.	---	57	---	1,118	---	19.67	---	878	---	21
Minn.	185	222	3,514	4,446	19.02	20.00	2,812	3,523	97	97
Iowa	25	50	470	989	19.00	19.82	381	789	7	16
Va.	4	10	54	117	13.72	12.14	41	89	---	2
Texas	43	97	802	1,918	18.73	19.81	648	1,530	10	36
Calif.	188	80	3,972	1,716	21.12	21.48	3,819	1,337	84	37

Old Turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, May 1962

Region and State	Tuber- culicosis	Leu- cemia	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver- inflation	Contam- nation	Over- scale	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	12	2	---	1	---	---	---	---	---	---	---	16
E. N. Cent.	---	16	241	61	449	8	---	---	16	33	---	---	89	917
W. N. Cent.	7	49	1,709	1,424	1,666	30	---	2	108	304	84	3	29	5,520
S. Atl.	---	1	53	20	31	---	---	---	3	4	---	---	7	120
S. Cent.	---	52	1,405	197	428	8	---	---	28	44	6	---	105	2,277
West.	---	1	232	93	543	11	---	---	29	32	2	---	419	1,777
U.S.	7	119	3,652	1,797	3,117	58	2	533	181	417	92	3	649	10,627
Ohio	---	1	91	14	75	5	---	---	9	5	---	---	18	218
Wis.	---	15	119	44	367	3	---	---	6	17	---	---	71	645
Minn.	---	16	1,102	991	1,170	18	---	---	67	206	72	---	8	3,713
Iowa	---	7	283	152	78	5	1	---	15	9	1	---	18	586
Va.	---	---	38	16	29	---	---	---	2	1	---	---	---	86
Texas	---	42	1,095	127	306	8	---	---	18	23	---	---	54	1,677
Calif.	---	1	80	59	505	6	---	392	23	30	2	---	419	1,517

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 head or 500 pounds.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C.

POSTAGE AND FEES PAID

OFFICIAL BUSINESS



Growth Through Agricultural Progress

Definitions -

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.